

# CET 4



## GENERAL DESCRIPTION

CET 4 is a Micro Terminal Block which is small in size and light in weight yet functionally the same as Standard Terminal Blocks finding its application where space is a constraint but the same cable density is required as in a normal situation.

## WIRE TERMINATION TECHNOLOGY

Screw Clamp

## PRODUCT FEATURE

1. Polyamide 6,6 Housing
2. Economical
3. DIN Rail Mounted

## APPROVALS

## TECHNICAL DATA

### GENERAL

No of Levels	<b>1</b>
No of Connection	<b>2</b>
Colours	
Insulation Material	<b>Polyamide 66</b>
impulse Withstand Voltage	-
Pollution Degree	<b>3 (IEC 60947-1)</b>
Insulation Material Group	<b>I</b>
Nominal Current(A)	<b>500 V</b>
Nominal Current(B)	<b>32 A</b>
Width (In mm)	<b>26 mm</b>
Height (In mm)	<b>30 mm</b>
Conductor Cross Section (In sq mm)	<b>4 sq mm</b>
AWG Conductor Cross Section	<b>Min: - AWG                      Max: - AWG</b>
Stripping Length (In mm)	<b>8 mm</b>
Screw Thread	<b>M3</b>
Tightening Torque /Rated Torque (in Nm)	<b>0.5 Nm</b>

### KEY COMMERCIAL DATA

Standard Packing	<b>100</b>
Weight/Package	<b>0.56</b>
Custom Tariff No	<b>85389000</b>
Country of Origin	<b>India</b>

**ACCESSORIES**

**Cross Connection Link Assembly**

**SLE - 2W**

**SLE - 2W**

**End Clamp**

**SCMN**

**SCM**

**End Plate**

**EPM**

**EPM**

**Marking Label**

**LABEL KN6.5**



**ACCESSORIES**

**LABEL KN6.5**



**Mounting Channel**

**CHM10**

