



## **DBK150/M6C-1X4**

Terminal Type - DBK150/M6C-1X4 , Distribution Block, nominal voltage: 800 V, nominal current: IC-309 A , OG-101 A ,Rated cross-section- IC-150 mm<sup>2</sup>, OG-25 mm<sup>2</sup>, connection method: Bolt connection, number of connections: 9 , cross-section: IC- 70 - 150 mm<sup>2</sup> , OG -6-25 mm<sup>2</sup>, mounting type: TS 35/7.5, TS 35/15, TS 32

### Product Accessories

| Cover Profile          |   |   |
|------------------------|---|---|
| PCK3                   | Height : 28.00 mm<br>Width : 58.35 mm<br>Thickness : 1.00 mm  |    |
| Cover Profile Carrier  |   |   |
| UHDD                   | Height : 74.50 mm<br>Thickness : 2.00 mm<br>Length : 55.82 mm |    |
| DIN Rail Perforated    |   |   |
| CHKDS                  | Height : 15.00 mm<br>Width : 35.00 mm<br>Thickness : 1.50 mm  |   |
| CHKS                   | Height : 7.50 mm<br>Width : 35.00 mm<br>Thickness : 1.00 mm   |  |
| CHS                    | Height : 15.00 mm<br>Width : 32.00 mm<br>Thickness : 1.50 mm  |  |
| DIN Rail, Unperforated |   |   |
| CHKD                   | Height : 15.00 mm<br>Width : 35.00 mm<br>Thickness : 1.50 mm  |  |
| CHK                    | Height : 7.50 mm<br>Width : 35.00 mm<br>Thickness : 1.00 mm   |  |
| End Cap                |   |   |
| CHKENDCAP              | Height : 14.00 mm<br>Width : 9.00 mm<br>Length : 41.50 mm     |  |

| <b>End Clamp</b>                  |   |   |
|-----------------------------------|---|---|
| SCUP                              | Height : 34.00 mm<br>Length : 44.75 mm                        |    |
| SCUSL                             | Height : 41.10 mm<br>Width : 8.00 mm<br>Length : 47.50 mm     |    |
| SCUDD                             | Height : 50.00 mm<br>Width : 10.00 mm<br>Length : 55.60 mm    |    |
| DCKN                              | Height : 33.00 mm<br>Width : 6.00 mm<br>Length : 43.50 mm     |    |
| DCKN10                            | Height : 35.00 mm<br>Width : 10.00 mm<br>Length : 43.50 mm    |   |
| SCKN                              | Height : 34.50 mm<br>Width : 8.00 mm<br>Length : 44.90 mm     |  |
| SCUN                              | Height : 35.50 mm<br>Width : 9.50 mm<br>Length : 50.60 mm     |  |
| <b>Marker For Terminal Blocks</b> |   |   |
| LABEL KN12                        | Width : 12.00 mm  |  |
| <b>Partition Plate</b>            |   |   |
| KBXF                              | Height : 53.40 mm<br>Thickness : 1.50 mm<br>Length : 54.00 mm |  |
| <b>Marker carriers</b>            |   |   |
| SCUDDMLH                          | Height : 71.50 mm<br>Width : 10.00 mm<br>Length : 55.60 mm    |  |

| Marker carriers |   |   |
|-----------------|---|---|
| SCUNMLH         | Height : 53.50 mm<br>Width : 9.50 mm<br>Length : 50.60 mm |  |
| DCKNMLH         | Height : 45.50 mm<br>Width : 6.00 mm<br>Length : 43.50 mm |  |
| SCKNMLH         | Height : 45.50 mm<br>Width : 8.00 mm<br>Length : 44.90 mm |  |

